



CÔNG TY CP VẬT TƯ CƠ ĐIỆN HÀ THÀNH
Đ/c: 136 - K2 – Mỹ đình 1 – Hà Nội
Webstie: diennuochathanh.vn
02466542040

Đồng hành cùng những công trình

BẢNG BÁO GIÁ PHỤ KIỆN HÀN HDPE

(Bảng giá có hiệu lực từ ngày 01.01.2020)

ĐK	Đầu bích	Tê	Cút 90°	Chếch 45°	Chếch 22.5°	Nút bịt	Thập	Y	Đại sửa chữa
Ø 63	29,400	60,100	40,300	35,200	-	23,500	112,000	280,000	388,70
Ø 75	45,500	77,700	53,800	47,700	-	26,400	161,000	420,000	403,30
Ø 90	54,600	102,700	79,200	65,300	-	36,400	280,000	630,000	476,70
Ø 110	73,500	175,000	123,200	102,700	110,000	50,400	329,000	1,155,000	544,30
Ø 125	129,300	264,000	197,700	161,300	205,300	108,500	640,500	1,645,000	990,00
Ø 140	168,700	371,000	294,000	217,000	264,000	190,400	-	2,800,000	
Ø 160	164,500	392,000	294,000	234,700	267,700	112,000	840,000	2,450,000	1,043,30
Ø 180	287,000	806,700	616,000	441,000	495,700	252,000	-		
Ø 200	322,000	770,000	630,000	425,300	506,000	245,000	1,365,000	1,533,300	
Ø 225	420,000	1,380,000	1,020,000	710,000	665,000	420,000	1,876,000	2,640,000	
Ø 250	476,000	1,260,000	980,000	718,700	880,000	385,000	2,450,000	2,566,700	
Ø 280	806,700	2,520,000	1,820,000	1,225,000	1,260,000	770,000	-	-	
Ø 315	770,000	2,520,000	1,750,000	1,225,000	1,496,700	770,000	4,253,300	3,520,000	
Ø 355	1,120,000	3,710,000	2,800,000	1,890,000	2,520,000	1,330,000	8,400,000	15,912,600	
Ø 400	1,330,000	4,620,000	3,400,000	2,310,000	2,485,000	1,540,000	11,550,000	15,912,600	
Ø 450	1,855,000	10,500,000	7,000,000	5,600,000	5,950,000	2,240,000	17,150,000	23,804,300	
Ø 500	2,730,000	13,300,000	10,850,000	7,000,000	7,420,000	3,010,000	20,300,000	23,804,300	
Ø 560	3,220,000	23,800,000	14,350,000	9,800,000	10,150,000	3,920,000	29,400,000		
Ø 630	4,200,000	26,600,000	20,300,000	13,300,000	14,700,000	4,620,000	40,600,000	31,816,000	
Ø 710	9,450,000	49,700,000	44,450,000	25,900,000	24,500,000	9,100,000	63,000,000	-	
Ø 800	9,800,000	70,000,000	54,600,000	34,300,000	32,550,000	11,200,000	87,500,000	-	

Côn thu		Côn thu		Côn thu		Côn thu		Thập thu	
R.C 75-50	31,500	R.C 200-140	295,000	R.C 355-315	1,540,000	R.C 630-560	5,600,000	+ 90-63	263,90
R.C 75-63	35,000	R.C 200-160	280,000	R.C 400-110	1,190,000	R.C 710-250	10,525,300	+ 110-63	267,10
R.C 90-50	42,000	R.C 200-180	406,000	R.C 400-160	1,260,000	R.C 710-315	10,682,400	+ 125-75	531,80
R.C 90-63	42,000	R.C 225-110	420,000	R.C 400-200	1,380,000	R.C 710-355	11,075,100	+ 160-110	910,00
R.C 90-75	45,500	R.C 225-125	455,000	R.C 400-225	1,370,000	R.C 710-400	11,467,800	+ 200-110	1,771,00
R.C 110-50	63,000	R.C 225-160	455,000	R.C 400-250	1,470,000	R.C 710-450	12,331,800	+ 200-160	1,841,00
R.C 110-63	59,500	R.C 225-180	595,000	R.C 400-280	1,450,000	R.C 710-500	13,274,400	+ 225-160	2,356,40
R.C 110-75	63,000	R.C 225-200	490,000	R.C 400-315	1,610,000	R.C 710-560	13,902,800	+ 250-110	2,310,00
R.C 110-90	70,000	R.C 250-110	470,000	R.C 400-355	1,855,000	R.C 710-630	14,531,100	+ 250-160	2,520,00
R.C 125-63	91,300	R.C 250-125	455,000	R.C 450-200	2,870,000	R.C 800-250	14,531,100	+ 250-200	2,730,00
R.C 125-75	97,500	R.C 250-160	525,000	R.C 450-225	2,870,000	R.C 800-315	14,845,300	+ 315-200	3,668,10
R.C 125-90	103,700	R.C 250-200	595,000	R.C 450-250	2,870,000	R.C 800-355	15,395,200	+ 355-200	6,230,00
R.C 125-110	112,700	R.C 250-225	665,000	R.C 450-280	2,870,000	R.C 800-400	15,709,300	+ 400-200	7,560,00
R.C 140-63	112,700	R.C 280-110	687,000	R.C 450-315	2,870,000	R.C 800-450	16,337,700	+ 450-200	11,270,00
R.C 140-75	113,500	R.C 280-125	735,000	R.C 450-355	2,870,000	R.C 800-500	18,458,500	+ 450-315	14,070,00
R.C 140-90	120,300	R.C 280-140	770,000	R.C 450-400	3,010,000	R.C 800-560	18,458,500	+ 500-110	11,270,00
R.C 140-110	137,700	R.C 280-160	770,000	R.C 500-200	3,066,000	R.C 800-630	18,458,500	+ 500-160	11,760,00
R.C 140-125	145,000	R.C 280-180	840,000	R.C 500-225	3,220,000	R.C 800-710	23,956,700	+ 500-200	12,250,00
R.C 160-63	129,500	R.C 280-200	840,000	R.C 500-250	3,115,000			+ 500-250	14,070,00
R.C 160-75	138,600	R.C 280-225	1,050,000	R.C 500-280	3,290,000			+ 500-315	16,940,00
R.C 160-90	143,500	R.C 280-250	1,050,000	R.C 500-315	3,220,000			+ 560-200	15,960,00
R.C 160-110	158,200	R.C 315-110	630,000	R.C 500-355	3,360,000			+ 560-315	20,510,00
R.C 160-125	175,000	R.C 315-160	700,000	R.C 500-400	3,290,000			+ 630-200	21,000,00
R.C 160-140	251,000	R.C 315-180	1,000,000	R.C 500-450	3,290,000			+ 630-315	26,600,00
R.C 180 -110	280,000	R.C 315-200	705,000	R.C 560-315	3,500,000			+ 710-200	31,418,70
R.C 180-125	280,000	R.C 315-225	770,000	R.C 560-355	3,570,000			+ 710-315	37,545,30
R.C 180-140	280,000	R.C 315-250	842,000	R.C 560-400	3,750,000			+ 800-200	38,802,10
R.C 180-160	280,000	R.C 315-280	880,300	R.C 560-450	3,640,000			+ 800-400	53,411,80
R.C 200-50	280,000	R.C 355-110	1,050,000	R.C 560-500	3,710,000				
R.C 200-63	203,000	R.C 355-160	1,095,000	R.C 630-315	4,340,000				
R.C 200-75	210,000	R.C 355-200	1,170,000	R.C 630-355	4,900,000				
R.C 200-90	241,000	R.C 355-225	1,470,000	R.C 630-400	4,620,000				
R.C 200-110	245,000	R.C 355-250	1260000	R.C 630-450	5,040,000				
R.C 200-125	282,000	R.C 355-280	1,750,000	R.C 630-500	5,320,000				

Tê thu		Tê thu		Tê thu		Tê thu		Tê thu	
R.T 75-50	66,500	R.T 200-63	490,000	R.T 315-63	1,890,000	R.T 450-110	5,600,000	R.T 630-280	17,500,00
R.T 75-63	73,500	R.T 200-75	497,000	R.T 315-75	1,890,000	R.T 450-160	7,000,000	R.T 630-315	18,200,00
R.T 90-50	87,500	R.T 200-90	525,000	R.T 315-90	1,470,000	R.T 450-200	7,000,000	R.T 630-355	19,600,00
R.T 90-63	91,000	R.T 200-110	560,000	R.T 315-110	1,540,000	R.T 450-225	8,400,000	R.T 630-400	20,300,00
R.T 90-75	94,500	R.T 200-125	920,000	R.T 315-125	2,240,000	R.T 450-250	8,400,000	R.T 630-450	22,050,00
R.T 110-50	129,500	R.T 200-140	930,700	R.T 315-140	2,310,000	R.T 450-280	9,100,000	R.T 630-500	22,750,00
R.T 110-63	131,600	R.T 200-160	735,000	R.T 315-160	1,610,000	R.T 450-315	9,100,000	R.T 710-110	25,200,00
R.T 110-75	140,000	R.T 225-63	973,000	R.T 315-180	2,225,000	R.T 450-355	11,200,000	R.T 710-160	27,860,00
R.T 110-90	152,600	R.T 225-75	1,050,000	R.T 315-200	1,820,000	R.T 450-400	11,900,000	R.T 710-200	30,590,00
R.T 125-63	245,900	R.T 225-90	1,050,000	R.T 315-225	2,380,000	R.T 500-110	11,900,000	R.T 710-250	33,250,00
R.T 125-75	250,000	R.T 225-110	1,050,000	R.T 315-250	2,240,000	R.T 500-160	11,900,000	R.T 710-315	37,100,00
R.T 125-90	247,900	R.T 225-160	1,310,000	R.T 315-280	2,670,700	R.T 500-200	11,900,000	R.T 710-400	41,160,00
R.T 125-110	270,000	R.T 225-200	1,390,300	R.T 355-110	2,240,000	R.T 500-225	11,900,000	R.T 710-500	18,200,00
R.T 140-63	300,000	R.T 250-63	1,155,000	R.T 355-125	2,730,000	R.T 500-250	11,900,000	R.T 710-630	21,000,00
R.T 140-75	306,000	R.T 250-75	1,176,000	R.T 355-140	2,800,000	R.T 500-280	11,900,000	R.T 800-110	21,000,00
R.T 140-90	310,000	R.T 250-90	1,183,000	R.T 355-160	2,345,000	R.T 500-315	11,900,000	R.T 800-160	14,560,00
R.T 140-110	350,000	R.T 250-110	1,300,000	R.T 355-180	2,800,000	R.T 500-355	13,300,000	R.T 800-200	15,260,00
R.T 140-125	392,000	R.T 250-125	1,300,000	R.T 355-200	2,660,000	R.T 500-400	13,300,000	R.T 800-250	16,520,00
R.T 160-50	294,000	R.T 250-140	1,330,000	R.T 355-225	3,500,000	R.T 500-450	14,000,000	R.T 800-315	17,220,00
R.T 160-63	290,500	R.T 250-160	1,190,000	R.T 355-250	3,360,000	R.T 560-110	11,200,000	R.T 800-400	17,220,00
R.T 160-75	305,200	R.T 250-180	1,470,000	R.T 355-280	3,767,900	R.T 560-160	12,600,000	R.T 800-500	17,500,00
R.T 160-90	313,600	R.T 250-200	1,260,000	R.T 355-315	4,200,000	R.T 560-200	14,000,000	R.T 800-630	18,200,00
R.T 160-110	329,000	R.T 250-225	1,540,000	R.T 400-110	2,870,000	R.T 560-225	14,700,000	R.T 800-710	19,600,00
R.T 160-125	462,700	R.T 280-63	1,260,000	R.T 400-125	3,360,000	R.T 560-250	14,700,000		
R.T 160-140	592,700	R.T 280-75	1,260,000	R.T 400-140	3,500,000	R.T 560-280	15,400,000		
R.T 180-63	560,000	R.T 280-90	1,400,000	R.T 400-160	2,940,000	R.T 560-355	17,500,000		
R.T 180-75	560,000	R.T 280-110	1,610,000	R.T 400-180	3,850,000	R.T 560-400	18,200,000		
R.T 180-90	560,000	R.T 280-125	1,610,000	R.T 400-200	2,940,000	R.T 560-450	21,000,000		
R.T 180-110	630,000	R.T 280-140	1,750,000	R.T 400-225	4,550,000	R.T 560-500	21,000,000		
R.T 180-125	770,000	R.T 280-160	1,820,000	R.T 400-250	4,080,000	R.T 630-110	14,560,000		
R.T 180-140	770,000	R.T 280-180	2,100,000	R.T 400-280	5,040,000	R.T 630-160	15,260,000		
R.T 180-160	770,000	R.T 280-200	2,100,000	R.T 400-315	4,250,000	R.T 630-200	16,520,000		
		R.T 280-225	2,100,000	R.T 400-355	7,000,000	R.T 630-225	17,220,000		
		R.T 280-250	2,100,000			R.T 630-250	17,220,000		

Hà Nội, ngày 01.01.2020

CÔNG TY CP VẬT TƯ CƠ ĐIỆN HÀ THÀNH



GIÁM ĐỐC

Phạm Bá Nghĩa

